

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



1/5




FIG. 1




FIG. 2




FIG. 3



2/5




FIG. 4




FIG. 5



3/5




FIG. 6






FIG. 7



COLOR STANDARD: 1931 CIE
FIELD OF VIEW: 2°
POLARIZATION: AVERAGE
REFERENCE WHITE: CIE-C
ILLUMINANT: WHITE
INCIDENT ANGLE (DEG): 0.00

	REFL	TRANS
x COORDINATE:	0.338	0.321
y COORDINATE:	0.371	0.323
LUMINOSITY (%):	14.24	60.18
DOMINANT (nm):	569	585
COMPLEMENTARY (nm):	450	484
EXCITATION PURITY:	0.223	0.047

FIG. 8



COLOR STANDARD: 1931 CIE
FIELD OF VIEW: 2°
POLARIZATION: AVERAGE
REFERENCE WHITE: CIE-C
ILLUMINANT: WHITE
INCIDENT ANGLE (DEG): 0.00

	REFL	TRANS
x COORDINATE:	0.305	0.325
y COORDINATE:	0.341	0.325
LUMINOSITY (%):	11.06	57.92
DOMINANT (nm):	539	584
COMPLEMENTARY (nm):	N/A	483
EXCITATION PURITY:	0.057	0.065

FIG. 9



5/5




FIG. 10